



RECEIVED

MAY 16 2022

Ravalli County Commissioners

--	--	--	--	--

May 11, 2022

Potential Drinking Water SRF Loan Recipients:

We are contacting communities on the Drinking Water SRF Project Priority List (PPL), as outlined in the SFY2022 Intended Use Plan (IUP). The PPL ranks potential projects that communities have identified for their respective water systems. The department is planning to fund one of the lower-ranked projects on the PPL that is ready to proceed at this time. In accordance with the bypass procedures adopted as part of the IUP, all applicants with higher-ranked projects must be notified before the bypass is completed.

The project applicants under consideration for a bypass at this time is the City of Cut Bank. The proposed SRF loan funds for Cut Bank will be used to construct distribution system improvements.

Since some higher-ranked projects are not ready to proceed, the department is proposing to bypass these higher-ranked projects to fund the project described above. The funding of this project by the Drinking Water SRF program should in no way affect funding of your project. All known loan applications currently shown on the PPL can be funded with available funds, even with the bypass for the above project.

When revising the list by this method, the department's policies require that we contact all affected applicants to solicit comments. We request, by copy of this letter, that any comments regarding the described changes be provided to this office within 15 days of the date of this letter. Changes will go into effect after the comment period if no unresolvable comments have been received.

Thank you and please contact me at (406) 444-5325 if you have any questions.

Sincerely,

Mark A. Smith, P.E.
DWSRF Engineering Mgr.
Dept. of Environmental Quality

REVISED

ISSUE # 1 1988

Ravalli County Commission

--	--	--	--	--

[Faint, mostly illegible text, possibly a letter or report, with a horizontal line across the middle.]

Officially Attest
[Illegible Signature]
[Illegible Title]